



# SAFETY DATA SHEET

SDS ID NO.: 0178MAR019  
Revision Date 05/27/2015

## 1. IDENTIFICATION

**Product Name:** Marathon Petroleum Marine-Terrain 2-Cycle Engine Oil  
**Synonym:** Marine-Terrain 2-Cycle Engine Oil; Marine Terrain TC-W3; Marathon 2 Cycle Oil  
**Product Code:** 0178MAR019  
**Chemical Family:** Motor/Lube Oil  
**Recommended Use:** Engine Oil.  
**Restrictions on Use:** All others.

**Manufacturer, Importer, or Responsible Party Name and Address:**  
**MARATHON PETROLEUM COMPANY LP**  
**539 South Main Street**  
**Findlay, OH 45840**

**SDS information:** 1-419-421-3070  
**Emergency Telephone:** 1-877-627-5463

## 2. HAZARD IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### **Hazards Not Otherwise Classified (HNOC)**

Not applicable.

### Label elements

#### **EMERGENCY OVERVIEW**

No known significant effects or critical hazards.

**Appearance** Blue Liquid

**Physical State** Liquid

**Odor** Petroleum

#### **Precautionary Statements - Prevention**

Not applicable.

#### **Precautionary Statements - Response**

Not applicable.

#### **Precautionary Statements - Storage**

Not applicable.

**Precautionary Statements - Disposal**

Not applicable.

**Additional Information**

Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Composition Information:**

Name	CAS Number	% Concentration
Distillates (petroleum), hydrotreated light	64742-47-8	10-30
Butene, homopolymer	9003-29-6	1-5

All concentrations are percent by weight unless material is a gas. Gas concentrations are in percent by volume.

### 4. FIRST AID MEASURES

**First Aid Measures**

- General Advice:** In case of accident or if you feel unwell, seek medical advice immediately (show directions for use or safety data sheet if possible).
- Inhalation:** Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms occur get medical attention.
- Skin Contact:** Wash skin with plenty of soap and water. If irritation or other symptoms occur get medical attention. Wash contaminated clothing and clean shoes before reuse.
- Eye Contact:** Immediately flush eyes with plenty of water. Eyelids should be held away from the eyeball to ensure thorough rinsing. Gently remove contacts while flushing. Get medical attention if irritation persists.
- Ingestion:** Rinse mouth out with water. If spontaneous vomiting occurs, keep head below hips, or if patient is lying down, turn body and head to side to prevent aspiration and monitor for breathing difficulty. Never give anything by mouth to an unconscious person. Keep affected person warm and at rest. If symptoms develop, seek medical attention.

**Most important signs and symptoms, both short-term and delayed with overexposure**

- Adverse Effects:** Preexisting skin conditions and/or respiratory disorders may be aggravated by exposure to this product.

**Indication of any immediate medical attention and special treatment needed**

- Notes To Physician:** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media**

For small fires, Class B fire extinguishing media such as CO2, dry chemical, foam (AFFF/ATC) or water spray can be used. For large fires, water spray, fog or foam (AFFF/ATC) can be used. Firefighting should be attempted only by those who are adequately trained and equipped with proper protective equipment.

**Unsuitable extinguishing media**

Do not use a solid water stream as it may scatter and spread fire.

**Specific hazards arising from the chemical**

The product is not combustible per the OSHA Hazard Communication Standard, but will ignite and burn at temperatures exceeding the flash point.

**Hazardous combustion products**

Smoke, carbon monoxide, and other products of incomplete combustion.

**Explosion data**

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

**Special protective equipment and precautions for firefighters**

Avoid using straight water streams. Water spray and foam (AFFF/ATC) must be applied carefully to avoid frothing and from as far a distance as possible. Avoid excessive water spray application. Use water spray to cool exposed surfaces from as far a distance as possible. Keep run-off water out of sewers and water sources.

**Additional firefighting tactics**

Not applicable.

**NFPA**

Health 1

Flammability 2

Instability 0

Special Hazard -

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:**

Keep public away. Isolate and evacuate area. Shut off source if safe to do so.

**Protective equipment:**

Use personal protection measures as recommended in Section 8.

**Emergency procedures:**

Advise authorities and National Response Center (800-424-8802) if the product has entered a water course or sewer. Notify local health and pollution control agencies, if appropriate.

**Environmental precautions:**

Avoid release to the environment. Avoid subsoil penetration.

**Methods and materials for containment:**

Prevent further leakage or spillage if safe to do so.

**Methods and materials for cleaning up:**

Use suitable absorbent materials such as vermiculite, sand, or clay to clean up residual liquids. Recover and return free product to proper containers.

**7. HANDLING AND STORAGE**

**Safe Handling Precautions:**

Avoid contact with skin, eyes and clothing. Do not swallow. Avoid breathing vapors or mists. Use good personal hygiene practices. Wash thoroughly after handling. Use personal protection measures as recommended in Section 8. Do not cut, drill, grind or weld on empty containers since explosive residues may remain. Refer to applicable EPA, OSHA, NFPA and consistent state and local requirements.

Lifetime, continuous skin contact with used motor oils has caused skin cancer in laboratory tests. In testing, thorough washing has been found to prevent the development of skin cancer from used motor oil exposure. Avoid excessive skin contact. Exercise good personal hygiene including the removal and washing of soiled clothing and destroy used motor oil contaminated leather shoes/boots.

**Storage Conditions:**

Store in properly closed containers that are appropriately labeled and in a cool, well-ventilated area. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible materials.

**Incompatible Materials**

Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	ACGIH TLV	OSHA PELs:	OSHA - Vacated PELs	NIOSH IDLH
Distillates (petroleum), hydrotreated light 64742-47-8	200 mg/m <sup>3</sup> TWA (total hydrocarbon vapor) Skin - potential significant contribution to overall exposure by the cutaneous route	-	-	-
Butene, homopolymer 9003-29-6	-	-	-	-

**Notes:** The manufacturer has voluntarily elected to provide exposure limits contained in OSHA's 1989 air contaminants standard in its SDSs, even though certain of those exposure limits were vacated in 1992.

**Engineering measures:** Local or general exhaust required when using at elevated temperatures that generate vapors or mists.

### Personal protective equipment

**Eye protection:** Use goggles or face-shield if the potential for splashing exists.

**Skin and body protection:** Wear neoprene, nitrile or PVA gloves to prevent skin contact. Glove suitability is based on workplace conditions and usage. Contact the glove manufacturer for specific advice on glove selection and breakthrough times. Wear appropriate protective clothing.

**Respiratory protection:** Use a NIOSH approved organic vapor chemical cartridge or supplied air respirators when there is the potential for airborne exposures to exceed permissible exposure limits or if excessive vapors are generated. Observe respirator assigned protection factors (APFs) criteria cited in federal OSHA 29 CFR 1910.134. Self-contained breathing apparatus should be used for fire fighting.

**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical State</b>	Liquid
<b>Appearance</b>	Blue Liquid
<b>Color</b>	Blue
<b>Odor</b>	Petroleum
<b>Odor Threshold</b>	No data available.

<u>Property</u>	<u>Values (Method)</u>
<b>Melting Point / Freezing Point</b>	No data available.
<b>Initial Boiling Point / Boiling Range</b>	No data available.
<b>Flash Point</b>	93-110 °C / 199.4-230 °F (Cleveland Open-Cup)
<b>Evaporation Rate</b>	No data available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Flammability Limit in Air (%):</b>	
<b>Upper Flammability Limit:</b>	No data available.
<b>Lower Flammability Limit:</b>	No data available.
<b>Explosion limits:</b>	No data available.
<b>Vapor Pressure</b>	No data available.
<b>Vapor Density</b>	No data available.
<b>Specific Gravity / Relative Density</b>	0.87-0.88
<b>Water Solubility</b>	No data available.
<b>Solubility in other solvents</b>	No data available.

Partition Coefficient	No data available.
Decomposition temperature	No data available.
pH:	No available data.
Autoignition Temperature	No data available.
Kinematic Viscosity	41.1-50.3 mm <sup>2</sup> /s @ 40°C / 104°F 7.5-8.2 mm <sup>2</sup> /s @ 100°C / 212°F
Dynamic Viscosity	No data available.
Explosive Properties	No data available.
VOC Content (%)	29.5 (w/w)
Density	No data available.
Bulk Density	Not applicable.

## 10. STABILITY AND REACTIVITY

<u>Reactivity</u>	The product is non-reactive under normal conditions.
<u>Chemical stability</u>	Stable under recommended storage conditions.
<u>Possibility of hazardous reactions</u>	None under normal processing.
<u>Hazardous polymerization</u>	Will not occur.
<u>Conditions to avoid</u>	Sources of heat or ignition.
<u>Incompatible Materials</u>	Strong oxidizing agents.
<u>Hazardous decomposition products</u>	None known under normal conditions of use.

## 11. TOXICOLOGICAL INFORMATION

### Potential short-term adverse effects from overexposures

<b>Inhalation</b>	Overheating may produce vapors which may cause respiratory irritation, dizziness and nausea.
<b>Eye contact</b>	Exposure to vapor or contact with liquid may cause mild eye irritation, including tearing, stinging, and redness.
<b>Skin contact</b>	Prolonged or repeated exposure may cause dermatitis, folliculitis or oil acne.
<b>Ingestion</b>	May cause irritation of the mouth, throat and gastrointestinal tract.

### Acute toxicological data

Name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates (petroleum), hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Butene, homopolymer 9003-29-6	-	-	-

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

This product is considered to have a low order of acute and chronic oral and dermal toxicity.

USED MOTOR OIL: Lifetime, continuous skin contact with used motor oils has caused skin cancer in laboratory tests. The combustion process produces compounds (polycyclic aromatic hydrocarbons) in motor oils that increase with use and are responsible for the cancer induction. Thorough washing has been found to prevent the development of skin cancer on animals from used motor oil exposure.

**Adverse effects related to the physical, chemical and toxicological characteristics**

**Signs and Symptoms** Repeated or prolonged skin contact may cause drying, reddening, itching and cracking.

**Sensitization** Not expected to be a skin or respiratory sensitizer.

**Mutagenic effects** None known.

**Carcinogenicity** Cancer designations are listed in the table below

Name	ACGIH (Class)	IARC (Class)	NTP	OSHA
Distillates (petroleum), hydrotreated light 64742-47-8	Not Listed	Not Listed	Not Listed	Not Listed
Butene, homopolymer 9003-29-6	Not Listed	Not Listed	Not Listed	Not Listed

**Reproductive toxicity** None known.

**Specific Target Organ Toxicity (STOT) - single exposure** Not classified.

**Specific Target Organ Toxicity (STOT) - repeated exposure** Not classified.

**Aspiration hazard** Not classified.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

Used motor and/or lube oils can be toxic to birds and fish.

Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Distillates (petroleum), hydrotreated light 64742-47-8	-	96-hr LC50 = 2.2 mg/l Bluegill	-	-
Butene, homopolymer 9003-29-6	-	-	-	-

**Persistence and degradability** No information available.

**Bioaccumulation** Contains component(s) with the potential to bioaccumulate.

**Mobility in soil** No information available.

**Other adverse effects** No information available.

**13. DISPOSAL CONSIDERATIONS**

**Description of Waste Residues**

No information available.

**Safe Handling of Wastes**

Handle in accordance with applicable local, state, and federal regulations. Use personal protection measures as required.

**Disposal of Wastes / Methods of Disposal**

The user is responsible for determining if any discarded material is a hazardous waste (40 CFR 262.11). Dispose of in accordance with federal, state and local regulations.

**Methods of Contaminated Packaging Disposal**

Empty containers should be completely drained and then discarded or recycled, if possible. Do not cut, drill, grind or weld on empty containers since explosive residues may be present. Dispose of in accordance with federal, state and local regulations.

**14. TRANSPORT INFORMATION**

**DOT (49 CFR 172.101):**

**UN Proper Shipping Name:** Not Regulated  
**UN/Identification No:** Not applicable  
**Class:** Not applicable.  
**Packing Group:** Not applicable.

**TDG (Canada):**

**UN Proper Shipping Name:** Not Regulated  
**UN/Identification No:** Not applicable.  
**Transport Hazard Class(es):** Not applicable.  
**Packing Group:** Not applicable.

**15. REGULATORY INFORMATION**

**US Federal Regulatory Information:**

US TSCA Chemical Inventory Section 8(b): This product and/or its components are listed on the TSCA Chemical Inventory.

**EPA Superfund Amendment & Reauthorization Act (SARA):**

**SARA Section 302:** This product does not contain any component(s) included on EPA's Extremely Hazardous Substance (EHS) List.

Name	CERCLA/SARA - Section 302 Extremely Hazardous Substances and TPQs
Distillates (petroleum), hydrotreated light	NA
Butene, homopolymer	NA

**SARA Section 304:** This product does not contain any component(s) identified as an EHS or a CERCLA Hazardous substance, which in case of a spill or release may be subject to SARA reporting requirements.

Name	Hazardous Substances RQs
Distillates (petroleum), hydrotreated light	NA
Butene, homopolymer	NA

**SARA Section 311/312:** The following EPA hazard categories apply to this product:

None

**SARA Section 313:** This product may contain component(s), which if in exceedance of the de minimus threshold, may be subject to the reporting requirements of SARA Title III Section 313 Toxic Release Reporting (Form R).

Name	CERCLA/SARA 313 Emission reporting:
Distillates (petroleum), hydrotreated light	None
Butene, homopolymer	None

**State and Community Right-To-Know Regulations:**

The following component(s) of this material are identified on the regulatory lists below:

Distillates (petroleum), hydrotreated light  
 Louisiana Right-To-Know: Not Listed  
 California Proposition 65: Not Listed

New Jersey Right-To-Know: Not Listed  
 Pennsylvania Right-To-Know: Not Listed  
 Massachusetts Right-To Know: Not Listed  
 Florida Substance List: Not Listed  
 Rhode Island Right-To-Know: Not Listed  
 Michigan Critical Materials Register List: Not Listed  
 Massachusetts Extraordinarily Hazardous Substances: Not Listed  
 California - Regulated Carcinogens: Not Listed  
 Pennsylvania RTK - Special Hazardous Substances: Not Listed  
 New Jersey - Special Hazardous Substances: Not Listed  
 New Jersey - Environmental Hazardous Substances List: Not Listed  
 Illinois - Toxic Air Contaminants: Not Listed  
 New York - Reporting of Releases Part 597 - List of Hazardous Substances: Not Listed

**Butene, homopolymer**  
 Louisiana Right-To-Know: Not Listed  
 California Proposition 65: Not Listed  
 New Jersey Right-To-Know: Not Listed  
 Pennsylvania Right-To-Know: Not Listed  
 Massachusetts Right-To Know: Not Listed  
 Florida Substance List: Not Listed  
 Rhode Island Right-To-Know: Not Listed  
 Michigan Critical Materials Register List: Not Listed  
 Massachusetts Extraordinarily Hazardous Substances: Not Listed  
 California - Regulated Carcinogens: Not Listed  
 Pennsylvania RTK - Special Hazardous Substances: Not Listed  
 New Jersey - Special Hazardous Substances: Not Listed  
 New Jersey - Environmental Hazardous Substances List: Not Listed  
 Illinois - Toxic Air Contaminants: Not Listed  
 New York - Reporting of Releases Part 597 - List of Hazardous Substances: Not Listed

**Canada DSL/NDSL Inventory:** This product and/or its components are listed either on the Domestic Substances List (DSL) or are exempt.

**Canadian Regulatory Information:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

Name	Canada - WHMIS: Classifications of Substances:	Canada - WHMIS: Ingredient Disclosure:
Butene, homopolymer	Uncontrolled product according to WHMIS classification criteria	

**Note:** Uncontrolled product according to WHMIS classification criteria.

**16. OTHER INFORMATION**

**Prepared By** Toxicology and Product Safety

**Revision Notes**

**Revision Date** 05/27/2015

**Disclaimer**



---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is intended as guidance for safe handling, use, processing, storage, transportation, accidental release, clean-up and disposal and is not considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.