

Safety Data Sheet



Section 1: Identification

Product identifier

Product Name

- **Gasoline – Sub Octane**

Synonyms

- 84 Octane Gasoline; CBOB; Conventional Blend Stock for Oxygenate Blending; Premium CBOB; Premium RBOB; RBOB; Reformulated Blend Stock For Oxygenated Blending; Regular RBOB; Super RBOB

SDS Number/Grade

- 0020NOR001

Relevant identified uses of the substance or mixture and uses advised against

Recommended use

- Automotive fuel

Details of the supplier of the safety data sheet

Manufacturer

- Northern Tier Energy
301 St. Paul Park Road
St. Paul Park, MN 55071
United States
www.ntenergy.com

Telephone (General) • 651-459-9771

Emergency telephone number

Chemtrec

- 800-424-9300

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012

- Flammable Liquids 2
- Acute Toxicity Oral 4
- Aspiration 1
- Skin Irritation 2
- Eye Irritation 2
- Acute Toxicity Inhalation 4
- Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
- Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects
- Germ Cell Mutagenicity 1B
- Carcinogenicity 1A
- Reproductive Toxicity 1B
- Specific Target Organ Toxicity Repeated Exposure 1
- Specific Target Organ Toxicity Repeated Exposure 2

Label elements

OSHA HCS 2012

DANGER

- Hazard statements** • Highly flammable liquid and vapour
 Harmful if swallowed
 May be fatal if swallowed and enters airways
 Causes skin irritation
 Causes serious eye irritation
 Harmful if inhaled
 May cause respiratory irritation
 May cause drowsiness or dizziness
 May cause genetic defects.
 May cause cancer.
 May damage fertility or the unborn child.
 Causes damage to organs through prolonged or repeated exposure.
 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

- Prevention** • Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.
 Keep container tightly closed.
 Ground and/or bond container and receiving equipment.
 Use explosion-proof electrical/ventilating/lighting/equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Do not breathe mists, vapours, and/or spray.
 Wash thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Use only outdoors or in a well-ventilated area.
 Wear protective gloves/protective clothing/eye protection/face protection.
- Response** • In case of fire: Use appropriate media for extinction.
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 Call a POISON CENTER or doctor/physician if you feel unwell.
 If on skin: Wash with plenty of water .
 Take off contaminated clothing and wash before reuse.
 Specific treatment, see supplemental first aid information.
 If skin irritation occurs: Get medical advice/attention.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice/attention.
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
 Rinse mouth.
 Do NOT induce vomiting.
 IF exposed or concerned: Get medical advice/attention.
 Get medical advice/attention if you feel unwell.

- Storage/Disposal** • Store in a well-ventilated place. Keep container tightly closed.
 Keep cool.
 Store locked up.
 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

- Supplemental information** • This product consists of an ingredient of unknown toxicity at 40-68 percent via the oral route and 65-80.5% via inhalation.

Other hazards**OSHA HCS 2012**

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada**According to: WHMIS**

Classification of the substance or mixture**WHMIS**

- Flammable Liquids - B2
- Other Toxic Effects - D2A
- Other Toxic Effects - D2B

Label elements**WHMIS**

- Flammable Liquids - B2
- Other Toxic Effects - D2A
- Other Toxic Effects - D2B

Other hazards**WHMIS**

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients**Substances**

- Material does not meet the criteria of a substance.

Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Naphtha (petroleum), isomerization	CAS:64741-70-4	20% TO 40%	NDA	OSHA HCS 2012: Not Classified	NDA
Naphtha (petroleum), heavy catalytic reformed	CAS:64741-68-0	20% TO 40%	NDA	OSHA HCS 2012: Skin Irrit. 2	NDA
Hydrocarbons, C3-11, catalytic cracker distillates	CAS:68476-46-0	20% TO 40%	NDA	OSHA HCS 2012: Not Classified	NDA
Toluene	CAS:108-88-3	3% TO 15%	Ingestion/Oral-Rat LD50 • 636 mg/kg Inhalation-Rat LC50 • 49 g/m ³ 4 Hour(s) Skin-Rabbit LD50 • 14100 µL/kg	OSHA HCS 2012: Flam. Liq. 2; Acute Tox. 4 (Orl); Skin Irrit. 2; Eye Irrit. 2; Muta. 1B; Repr. 2; STOT SE 3: Narc.; STOT RE 1 (CNS; Inh); Asp. Tox. 1	NDA
Full-range alkylate (petroleum) naphtha	CAS:64741-64-6	5% TO 15%	NDA	OSHA HCS 2012: Skin Irrit. 2	NDA
			Ingestion/Oral-Rat LD50 • 4300 mg/kg		

Xylene	CAS:1330-20-7	2% TO 10%	Inhalation-Rat LC50 • 5000 ppm 4 Hour(s) Skin-Rabbit LD50 • >1700 mg/kg	OSHA HCS 2012: Flam. Liq. 3; Acute Tox. 4 (Inhl); Skin Irrit. 2; Eye Irrit. 2; Repr. 1B (Inhl); STOT SE 3: Narc.; STOT SE 3: Resp. Irrit.	NDA
Butane	CAS:106-97-8	0% TO 10%	Inhalation-Rat LC50 • 658000 mg/m ³ 4 Hour(s)	OSHA HCS 2012: Flam. Gas 1; Press. Gas; STOT SE 3: Narc. (Inhl); Simp. Asphyx.	NDA
1,2,4- Trimethylbenzene	CAS:95-63-6	1% TO 5%	Ingestion/Oral-Rat LD50 • 5 g/kg Inhalation-Rat LC50 • 18000 mg/m ³ 4 Hour(s)	OSHA HCS 2012: Flam. Liq. 3; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3: Narc; STOT SE 3: Resp. Irrit. (Inhl); Asp. Tox. 1	NDA
Benzene	CAS:71-43-2	0.5% TO 3.5%	Skin-Rabbit LD50 • >9400 µg/kg Ingestion/Oral-Rat LD50 • 930 mg/kg Inhalation-Rat LC50 • 10000 ppm 7 Hour(s)	OSHA HCS 2012: Flam. Liq. 2; Acute Tox. 4 (Orl); Acute Tox. 4 (Inhl); Skin Irrit. 2; Eye Irrit. 2; Muta. 1B (Orl, Inhl); Carc. 1A (Inhl); Repr. 2 (Inhl); STOT SE 3: Narc. (Inl); STOT RE 1 (Blood, Bone marrow; Inhl); Asp. Tox. 1	NDA
Hexane	CAS:110-54-3	0% TO 3%	Ingestion/Oral-Rat LD50 • 25 g/kg Inhalation-Rat LC50 • 48000 ppm 4 Hour(s)	OSHA HCS 2012: Flam. Liq. 2; Repr. 2; STOT RE 2 (CNS & Nervous System); Eye Irrit. 2; STOT SE 3: Narc. & Resp. Irrit.; Asp. Tox. 1	NDA
Ethylbenzene	CAS:100-41-4	0.5% TO 2%	Ingestion/Oral-Rat LD50 • 3500 mg/kg Skin-Rabbit LD50 • >5000 mg/kg Inhalation-Rabbit LC50 • 4000 ppm 4 Hour(s)	OSHA HCS 2012: Flam. Liq. 2; Acute Tox. 4 (Inhl); Eye Irrit. 2; Carc. 2 (Inhl); Repr. 2 (Inhl); STOT SE 3: Narc.; STOT SE 3: Resp. Irrit. (Inhl); STOT RE 2 (Ear, Inhl); Asp. Tox. 1	NDA
Naphthalene	CAS:91-20-3	0.1% TO 0.5%	Skin-Rat LD50 • >2500 mg/kg Ingestion/Oral-Rat LD50 • 490 mg/kg	OSHA HCS 2012: Flam. Sol. 2; Acute Tox. 4 (Orl); Skin Irrit. 2; Muta. 2; Carc. 2; Repr. 2; STOT SE 3: Narc.; STOT RE 1 (Blood, Eyes; Orl, Inhl)	NDA

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

- Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention if symptoms occur.

Skin

- In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Remove and isolate contaminated clothing. Wash skin with soap and water. If irritation develops and persists, get medical attention.

Eye

- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

- Do NOT induce vomiting. Obtain medical attention immediately if ingested.

Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5: Fire-Fighting Measures

Extinguishing media

- Suitable Extinguishing Media**
- For small fires, Class B fire extinguishing media such as CO₂, dry chemical, foam (AFFF/ATC) or water spray.
For large fires, water spray, fog or foam (AFFF/ATC)

- Unsuitable Extinguishing Media**
- Avoid using straight water streams.

Special hazards arising from the substance or mixture

- Unusual Fire and Explosion Hazards**
- HIGHLY FLAMMABLE:** Will be easily ignited by heat, sparks or flames. Containers may explode when heated. Many liquids are lighter than water. Vapors may form explosive mixtures with air. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapors may travel to source of ignition and flash back. Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard.

- Hazardous Combustion Products**
- No data available

Advice for firefighters

- Structural firefighters' protective clothing will only provide limited protection. Wear positive pressure self-contained breathing apparatus (SCBA). Move containers from fire area if you can do it without risk. **LARGE FIRES:** Cool containers with flooding quantities of water until well after fire is out.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

- Personal Precautions**
- Ventilate enclosed areas. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
- Emergency Procedures**
- As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. **LARGE SPILL:** Consider initial downwind evacuation for at least 300 meters (1000 feet) ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.

Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

- Containment/Clean-up Measures**
- Stop leak if you can do it without risk. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Use clean non-sparking tools to collect absorbed material. A vapor suppressing foam may be used to reduce vapors. All equipment used when handling the product must be grounded. **LARGE SPILLS:** Dike far ahead of liquid spill for later disposal. **LARGE SPILLS:** Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

- Use only in well ventilated areas. Avoid contact with heat and ignition sources. Do not use sparking tools. Take precautionary measures against static charges. All equipment used when handling the product must be grounded. Never siphon this product by mouth. Do not cut, drill, grind or weld on empty containers since they may contain explosive residues. Wear appropriate personal protective equipment, avoid direct contact. Do not breathe mist, vapours and/or spray. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

Conditions for safe storage, including any incompatibilities

Storage

- Keep container tightly closed. Store in appropriately labeled containers. Store in a cool/low-temperature, well-ventilated place.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure Limits/Guidelines				
	Result	ACGIH	NIOSH	OSHA
Hexane (110-54-3)	TWAs	50 ppm TWA	50 ppm TWA; 180 mg/m ³ TWA	500 ppm TWA; 1800 mg/m ³ TWA
Butane (106-97-8)	STELs	1000 ppm STEL	Not established	Not established
	TWAs	Not established	800 ppm TWA; 1900 mg/m ³ TWA	Not established
Naphthalene (91-20-3)	TWAs	10 ppm TWA	10 ppm TWA; 50 mg/m ³ TWA	10 ppm TWA; 50 mg/m ³ TWA
	STELs	Not established	15 ppm STEL; 75 mg/m ³ STEL	Not established
Benzene (71-43-2)	Ceilings	Not established	Not established	25 ppm Ceiling
	STELs	2.5 ppm STEL	1 ppm STEL	5 ppm STEL (see 29 CFR 1910.1028)
	TWAs	0.5 ppm TWA	0.1 ppm TWA	10 ppm TWA (applies to industry segments exempt from the benzene standard at 29 CFR 1910.1028); 1 ppm TWA
Ethylbenzene (100-41-4)	TWAs	20 ppm TWA	100 ppm TWA; 435 mg/m ³ TWA	100 ppm TWA; 435 mg/m ³ TWA
	STELs	Not established	125 ppm STEL; 545 mg/m ³ STEL	Not established
1,2,4-Trimethylbenzene (95-63-6)	TWAs	Not established	25 ppm TWA; 125 mg/m ³ TWA	Not established
Xylene (1330-20-7)	TWAs	100 ppm TWA	Not established	100 ppm TWA; 435 mg/m ³ TWA
	STELs	150 ppm STEL	Not established	Not established
Toluene (108-88-3)	Ceilings	Not established	Not established	300 ppm Ceiling
	TWAs	20 ppm TWA	100 ppm TWA; 375 mg/m ³ TWA	200 ppm TWA
	STELs	Not established	150 ppm STEL; 560 mg/m ³ STEL	Not established

Exposure controls

Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use explosion-proof electrical/ventilating/lighting/equipment.

Personal Protective Equipment

Respiratory

- In case of insufficient ventilation, wear suitable respiratory equipment.

- Eye/Face**
 - Skin/Body**
 - Environmental Exposure Controls**
- Wear safety goggles.
 - Wear appropriate gloves.
 - Follow best practice for site management and disposal of waste. Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

STEL = Short Term Exposure Limits are based on 15-minute exposures

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Clear or colored liquid.
Color	Clear or colored.	Odor	No data available
Odor Threshold	No data available		
General Properties			
Boiling Point	90 to 437 F(32.2222 to 225 C)	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	pH	Neutral
Specific Gravity/Relative Density	0.7 to 0.77 Water=1	Water Solubility	Negligible < 0.1 %
Viscosity	No data available		
Volatility			
Vapor Pressure	403 to 776 mmHg (torr)	Vapor Density	3 to 4 Air=1
Evaporation Rate	No data available	VOC (Wt.)	100 %
VOC (Vol.)	100 %		
Flammability			
Flash Point	-50 F(-45.5556 C)	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental			
Octanol/Water Partition coefficient	No data available		

Section 10: Stability and Reactivity

Reactivity

- No dangerous reaction known under conditions of normal use.

Chemical stability

- Stable under normal temperatures and pressures.

Possibility of hazardous reactions

- Hazardous polymerization will not occur.

Conditions to avoid

- Excessive heat, sources of ignition and open flames.

Incompatible materials

- Strong oxidizers such as nitrates, chlorates, peroxides.

Hazardous decomposition products

- Combustion produces carbon monoxide, aldehydes, aromatic and other hydrocarbons.

Section 11 - Toxicological Information

Information on toxicological effects

		Components
Butane (0% TO 10%)	106-97-8	Acute Toxicity: Inhalation-Rat LC50 • 658000 mg/m ³ 4 Hour(s)
Naphtha (petroleum), heavy catalytic reformed (20% TO 40%)	64741-68-0	Acute Toxicity: Ingestion/Oral-Rat LD50 • 4800 mg/kg; Behavioral:Somnolence (general depressed activity); Gastrointestinal:Hypermotility, diarrhea; Irritation: Skin-Rabbit • 500 mg • Severe irritation; Multi-dose Toxicity: Inhalation-Rat TCLo • 10 g/m ³ 6 Hour(s) 3 Week(s)-Intermittent; Sense Organs and Special Senses:Eye:Corneal damage; Behavioral:Coma; Related to Chronic Data:Death in the Other Multiple Dose data type field
Toluene (3% TO 15%)	108-88-3	Acute Toxicity: Ingestion/Oral-Rat LD50 • 636 mg/kg; Inhalation-Rat LC50 • 49 g/m ³ 4 Hour(s); Inhalation-Human TCLo • 1500 mg/m ³ 8 Hour(s); Sense Organs and Special Senses:Eye:Lacrimation; Sense Organs and Special Senses:Eye:Conjunctive irritation; Behavioral:Ataxia; Inhalation-Human TCLo • 200 ppm; Brain and Coverings:Recordings from specific areas of CNS; Behavioral:Antipsychotic; Blood:Changes in bone marrow not included above; Inhalation-Man TCLo • 50 ppm; Kidney, Ureter, and Bladder:Other changes in urine composition; Skin-Rabbit LD50 • 14100 µL/kg; Irritation: Eye-Rabbit • 2 mg 24 Hour(s) • Severe irritation; Skin-Rabbit • 20 mg 24 Hour(s) • Moderate irritation; Multi-dose Toxicity: Inhalation-Mouse TCLo • 250 ppm 4 Day(s)-Continuous; Behavioral:Convulsions or effect on seizure threshold; Behavioral:Abuse; Inhalation-Mouse TCLo • 50 ppm 12 Week(s)-Intermittent; Brain and Coverings:Other degenerative changes; Inhalation-Rat TCLo • 10 ppm 6 Hour(s) 13 Week(s)-Intermittent; Brain and Coverings:Other degenerative changes; Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels:Multiple enzyme effects; Mutagen: Micronucleus test • Ingestion/Oral-Mouse • 200 mg/kg; Sister chromatid exchange • Inhalation-Human • 252 µg/L 19 Year(s); Cytogenetic analysis • Inhalation-Rat • 5400 µg/m ³ 16 Week(s)-Intermittent; Reproductive: Inhalation-Mouse TCLo • 500 mg/m ³ 24 Hour(s)(6-13D preg); Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus); Inhalation-Mouse TCLo • 200 ppm 7 Hour(s)(7-16D preg); Reproductive Effects:Specific Developmental Abnormalities:Urogenital system
Xylene (2% TO 10%)	1330-20-7	Acute Toxicity: Ingestion/Oral-Rat LD50 • 4300 mg/kg; Liver:Other changes; Kidney, Ureter, and Bladder:Other changes; Inhalation-Rat LC50 • 5000 ppm 4 Hour(s); Inhalation-Man LCLo • 10000 ppm 6 Hour(s); Behavioral:General anesthetic; Lungs, Thorax, or Respiration:Cyanosis; Blood:Other changes; Inhalation-Human TCLo • 200 ppm; Sense Organs and Special Senses:Olfaction:Other changes; Sense Organs and Special Senses:Eye:Conjunctive irritation; Lungs, Thorax, or Respiration:Other changes; Skin-Rabbit LD50 • >1700 mg/kg; Irritation: Eye-Rabbit • 5 mg 24 Hour(s) • Severe irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation; Reproductive: Inhalation-Rabbit TCLo • 1 g/m ³ 24 Hour(s)(7-20D preg); Reproductive Effects:Effects on Fertility:Abortion; Inhalation-Rat TCLo • 50 mg/m ³ 6 Hour(s)(1-21D preg); Reproductive Effects:Effects on Fertility:Post-implantation mortality; Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus); Reproductive Effects:Specific Developmental Abnormalities:Craniofacial (including nose and tongue)
1,2,4-Trimethylbenzene (1% TO 5%)	95-63-6	Acute Toxicity: Ingestion/Oral-Rat LD50 • 5 g/kg; Inhalation-Rat LC50 • 18000 mg/m ³ 4 Hour(s); Multi-dose Toxicity: Inhalation-Rat TCLo • 100 ppm 6 Hour(s) 20 Day(s)-Intermittent; Behavioral:Changes in motor activity (specific assay); Behavioral:Analgesia; Behavioral:Alteration of operant conditioning; Inhalation-Rat TCLo • 20 mg/m ³ 16 Week(s)-Continuous; Kidney, Ureter, and Bladder:Other changes in urine composition
		Acute Toxicity: Ingestion/Oral-Rat LD50 • 930 mg/kg; Behavioral:Tremor; Behavioral:Convulsions or effect on seizure threshold; Inhalation-Rat LC50 • 10000 ppm 7 Hour(s); Inhalation-Human TCLo • 50 mg/m ³ 2 Hour(s); Behavioral:Changes in psychophysiological tests; Behavioral:Muscle weakness; Inhalation-Rat TCLo • 1 ppm 6 Hour(s); Kidney, Ureter, and Bladder:Other changes in urine composition; Skin-Rabbit LD50 • >9400 µL/kg;

Benzene (0.5% TO 3.5%)	71-43-2	<p>Irritation: Eye-Rabbit • 2 mg 24 Hour(s) • Severe irritation; Skin-Rabbit • 20 mg 24 Hour(s) • Moderate irritation;</p> <p>Multi-dose Toxicity: Inhalation-Mouse TCLo • 100 ppm 2 Week(s)-Intermittent; Endocrine:Differential effect of sex or castration on observed toxicity; Blood:Leukopenia; Blood:Changes in bone marrow not included above; Inhalation-Mouse TDLo • 100 ppm 6 Hour(s) 10 Day(s)-Intermittent; Blood:Changes in bone marrow not included above; Blood:Changes in platelet count;</p> <p>Reproductive: Inhalation-Mouse TCLo • 5 ppm (6-15D preg); Reproductive Effects:Effects on Embryo or Fetus:Cytological changes; Reproductive Effects:Specific Developmental Abnormalities:Blood and lymphatic system; Inhalation-Mouse TCLo • 20 ppm 6 Hour(s)(6-15D preg); Reproductive Effects:Specific Developmental Abnormalities:Blood and lymphatic system; Inhalation-Rat TCLo • 670 mg/m³ 24 Hour(s)(15D pre/1-22D preg); Reproductive Effects:Effects on Fertility:Female fertility index; Parenteral-Mouse TDLo • 4 g/kg (12D preg); Reproductive Effects:Effects on Newborn:Weaning or lactation index;</p> <p>Tumorigen / Carcinogen: Inhalation-Human • 150 ppm 15 Minute(s) 8 Year(s)-Intermittent; Tumorigenic:Carcinogenic by RTECS criteria; Blood:Leukemia; Inhalation-Human • 10 mg/m³ 11 Year(s)-Intermittent; Tumorigenic:Carcinogenic by RTECS criteria; Blood:Leukemia</p>
Hexane (0% TO 3%)	110-54-3	<p>Acute Toxicity: Ingestion/Oral-Rat LD50 • 25 g/kg; Inhalation-Rat LC50 • 48000 ppm 4 Hour(s);</p> <p>Irritation: Eye-Rabbit • 10 mg • Mild irritation;</p> <p>Reproductive: Inhalation-Rat TCLo • 5000 ppm (6-19D preg); Reproductive Effects:Specific Developmental Abnormalities:Musculoskeletal system; Reproductive Effects:Specific Developmental Abnormalities:Urogenital system</p>
Ethylbenzene (0.5% TO 2%)	100-41-4	<p>Acute Toxicity: Ingestion/Oral-Rat LD50 • 3500 mg/kg; Inhalation-Guinea Pig LCLo • 2500 ppm 8 Hour(s); Behavioral:Coma; Inhalation-Human TCLo • 21700 mg/m³; Behavioral:Antipsychotic; Inhalation-Mouse TCLo • 600 ppm 6 Minute(s); Lungs, Thorax, or Respiration:Respiratory depression; Skin-Rabbit LD50 • 17800 µL/kg;</p> <p>Irritation: Eye-Rabbit • 500 mg • Severe irritation; Skin-Rabbit • 15 mg 24 Hour(s)-Open • Mild irritation;</p> <p>Multi-dose Toxicity: Inhalation-Rat TCLo • 550 ppm 8 Hour(s) 5 Day(s)-Intermittent; Sense Organs and Special Senses:Ear:Change in acuity; Sense Organs and Special Senses:Ear:Changes in cochlear structure or function; Inhalation-Rat TDLo • 200 ppm 13 Week(s)-Intermittent; Sense Organs and Special Senses:Ear:Changes in cochlear structure or function;</p> <p>Mutagen: Specific locus test • Intraperitoneal-Mouse • 754 µmol/L; Micronucleus test • Unreported Route-Hamster • Embryo (Somatic cell) • 25 mg/L; Sister chromatid exchange • Unreported Route-Human • Lymphocyte (Somatic cell) • 10 mmol/L; Mutation in Mammalian Somatic Cells • Unreported Route-Mouse • Lymphocyte (Somatic cell) • 80 mg/L;</p> <p>Reproductive: Inhalation-Rabbit TCLo • 1 g/m³ 24 Hour(s)(7-20D preg); Reproductive Effects:Effects on Fertility:Abortion; Inhalation-Rat TCLo • 1000 ppm (6-20D preg); Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus); Inhalation-Rat TCLo • 96 ppm 7 Hour(s)(1-19D preg); Reproductive Effects:Specific Developmental Abnormalities:Musculoskeletal system; Inhalation-Rat TCLo • 600 mg/m³ 24 Hour(s)(7-15D preg); Reproductive Effects:Effects on Fertility:Post-implantation mortality; Reproductive Effects:Effects on Embryo or Fetus:Fetal death; Reproductive Effects:Specific Developmental Abnormalities:Musculoskeletal system;</p> <p>Tumorigen / Carcinogen: Inhalation-Mouse TCLo • 750 ppm 6 Hour(s) 2 Year(s)-Intermittent; Tumorigenic:Carcinogenic by RTECS criteria; Lungs, Thorax, or Respiration:Bronchiogenic carcinoma; Liver:Tumors; Inhalation-Rat TCLo • 23400 mg/kg 104 Week(s)-Intermittent; Tumorigenic:Equivocal tumorigenic agent by RTECS criteria; Kidney, Ureter, and Bladder:Kidney tumors; Reproductive Effects:Tumorigenic Effects:Testicular tumors; Inhalation-Rat TCLo • 750 ppm 6 Hour(s) 2 Year(s)-Intermittent; Tumorigenic:Carcinogenic by RTECS criteria; Kidney, Ureter, and Bladder:Tumors</p>
Naphthalene (0.1% TO 0.5%)	91-20-3	<p>Acute Toxicity: Ingestion/Oral-Rat LD50 • 490 mg/kg; Ingestion/Oral-Mouse TDLo • 158 mg/kg; Brain and Coverings:Other degenerative changes; Liver:Other changes; Biochemical:Metabolism (intermediary):Lipids, including transport; Inhalation-Human TCLo • 250 mg/m³; Sense Organs and Special Senses:Eye:Lacrimation; Behavioral:Headache; Skin-Rabbit LD50 • >20 g/kg; Unreported-Guinea Pig LD50 • 1200 mg/kg; Behavioral:Somnolence (general depressed activity);</p> <p>Irritation: Skin-Rabbit • 0.05 mL 24 Hour(s) • Severe irritation;</p> <p>Multi-dose Toxicity: Ingestion/Oral-Rat TDLo • 500 mg/kg 10 Day(s)-Intermittent; Behavioral:Sleep; Lungs, Thorax, or Respiration:Dyspnea; Ingestion/Oral-Rat TDLo • 4500 mg/kg 10 Day(s)-Intermittent; Brain and Coverings:Other degenerative changes;</p> <p>Mutagen: Specific locus test • Inhalation-Rat • 30 ppm 13 Week(s)-Intermittent; Micronucleus test • Unreported Route-Human • Lymphocyte (Somatic cell) • 30 mg/L;</p> <p>Reproductive: Ingestion/Oral-Mouse TDLo • 2400 mg/kg (7-14D preg); Reproductive Effects:Effects on Newborn:Live birth index; Reproductive Effects:Effects on Newborn:Viability index (e.g., # alive at day 4 per # born alive); Ingestion/Oral-Rat TDLo • 4500 mg/kg (6-15D preg); Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus); Reproductive Effects:Specific Developmental</p>

Abnormalities:Other developmental abnormalities;
Tumorigen / Carcinogen: Inhalation-Rat TClO • 1575 mg/kg 105 Week(s)-Intermittent;
Tumorigenic:Carcinogenic by RTECS criteria; Sense Organs and Special
Senses:Olfaction:Tumors; Inhalation-Rat TClO • 30 ppm 6 Hour(s) 105 Week(s)-Intermittent;
Tumorigenic:Equivocal tumorigenic agent by RTECS criteria; Sense Organs and Special
Senses:Olfaction:Tumors; Inhalation-Rat TClO • 60 ppm 6 Hour(s) 105 Week(s)-Intermittent;
Tumorigenic:Carcinogenic by RTECS criteria; Sense Organs and Special Senses:Olfaction:Tumors

GHS Properties	Classification
Respiratory sensitization	OSHA HCS 2012 • No data available
Serious eye damage/Irritation	OSHA HCS 2012 • Eye Irritation 2
Acute toxicity	OSHA HCS 2012 • Acute Toxicity - Inhalation 4 - ATEmix (inhl) = 14.5 mg/L; Acute Toxicity - Oral 4 - ATEmix (oral) = 1444 mg/L
Aspiration Hazard	OSHA HCS 2012 • Aspiration 1
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A
Skin corrosion/Irritation	OSHA HCS 2012 • Skin Irritation 2
Skin sensitization	OSHA HCS 2012 • No data available
STOT-RE	OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1; Specific Target Organ Toxicity Repeated Exposure 2
STOT-SE	OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects; Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
Toxicity for Reproduction	OSHA HCS 2012 • Toxic to Reproduction 1B
Germ Cell Mutagenicity	OSHA HCS 2012 • Germ Cell Mutagenicity 1B

Potential Health Effects

Inhalation

Acute (Immediate)

- Harmful if inhaled. May cause respiratory irritation. May affect the central nervous system. Symptoms may include dizziness, drowsiness, lethargy, coma and death.

Chronic (Delayed)

- Chronic exposure to benzene, a component of this material, results primarily in hematotoxicity, including aplastic anemia, pancytopenia, or any combination of anemia, leukopenia, and thrombocytopenia Chronic benzene exposure is associated with an increased risk of leukemia. CNS depression has been reported to occur in chronic abusers exposed to high levels of toluene. Symptoms include drowsiness, ataxia, tremors, cerebral atrophy, nystagmus (involuntary eye movements), and impaired speech, hearing, and vision. Neurobehavioral effects have been observed in occupationally exposed workers. Exposure to relatively low concentrations of ethylbenzene for several days to weeks resulted in potentially irreversible damage to the inner ear and hearing of animals.

Skin

Acute (Immediate)

- Causes skin irritation.

Chronic (Delayed)

- No data available.

Eye

Acute (Immediate)

- Causes serious eye irritation.

Chronic (Delayed)

- No data available.

Ingestion

Acute (Immediate)

- Harmful if swallowed. Material may be aspirated into lungs during ingestion and/or subsequent vomiting. Aspiration of this material will cause severe lung injury, chemical pneumonitis, pulmonary edema or death.

Chronic (Delayed)

- No data available.

Other**Chronic (Delayed)**

- Chronic exposure to Hexane may produce important peripheral neuropathy (motor sensory) and CNS abnormalities.

Mutagenic Effects

- Repeated and prolonged exposure may cause mutagenic effects.

Carcinogenic Effects

- Repeated and prolonged exposure may cause cancer.

Carcinogenic Effects				
	CAS	OSHA	IARC	NTP
Naphthalene	91-20-3	Not Listed	Group 2B-Possible Carcinogen	Reasonably Anticipated to be Human Carcinogen
Benzene	71-43-2	Specifically Regulated Carcinogen	Group 1-Carcinogenic	Known Human Carcinogen
Ethylbenzene	100-41-4	Not Listed	Group 2B-Possible Carcinogen	Not Listed

Reproductive Effects

- Repeated and prolonged exposure may cause reproductive effects.

Key to abbreviations

LC = Lethal Concentration

LD = Lethal Dose

TC = Toxic Concentration

TD = Toxic Dose

Section 12 - Ecological Information**Toxicity**

- Non-mandatory section - information about this substance not complied for this reason.

Persistence and degradability

- Non-mandatory section - information about this substance not complied for this reason.

Bioaccumulative potential

- Non-mandatory section - information about this substance not complied for this reason.

Mobility in Soil

- Non-mandatory section - information about this substance not complied for this reason.

Other adverse effects

- Non-mandatory section - information about this substance not complied for this reason.

Section 13 - Disposal Considerations**Waste treatment methods****Product waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	UN1203	Gasoline	3	II	NDA
TDG	UN1203	GASOLINE	3	II	NDA

Special precautions for user • None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code • No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute, Chronic, Fire

Inventory				
Component	CAS	Canada DSL	Canada NDSL	TSCA
1,2,4-Trimethylbenzene	95-63-6	Yes	No	Yes
Benzene	71-43-2	Yes	No	Yes
Butane	106-97-8	Yes	No	Yes
Ethylbenzene	100-41-4	Yes	No	Yes
Full-range alkylate (petroleum) naphtha	64741-64-6	Yes	No	Yes
Hexane	110-54-3	Yes	No	Yes
Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Yes	No	Yes
Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Yes	No	Yes
Naphtha (petroleum), isomerization	64741-70-4	No	Yes	Yes
Naphthalene	91-20-3	Yes	No	Yes
Toluene	108-88-3	Yes	No	Yes
Xylene	1330-20-7	Yes	No	Yes

Canada

Labor

Canada - WHMIS - Classifications of Substances

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	B4, D2A
• Ethylbenzene	100-41-4	B2, D2A, D2B
• Toluene	108-88-3	B2, D2A, D2B
• Xylene	1330-20-7	B2, D2A, D2B
• Benzene	71-43-2	B2, D2A, D2B
• Butane	106-97-8	A, B1
• Hexane	110-54-3	B2, D2A, D2B
• 1,2,4-Trimethylbenzene	95-63-6	B3
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed

• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

Canada - WHMIS - Ingredient Disclosure List

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	1 %
• Ethylbenzene	100-41-4	0.1 %
• Toluene	108-88-3	1 %
• Xylene	1330-20-7	Not Listed
• Benzene	71-43-2	0.1 %
• Butane	106-97-8	1 %
• Hexane	110-54-3	1 %
• 1,2,4-Trimethylbenzene	95-63-6	0.1 %
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed
• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

Environment**Canada - CEPA - Priority Substances List**

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	Not Listed
• Ethylbenzene	100-41-4	Not Listed
• Toluene	108-88-3	Priority Substance List 1 (substance not considered toxic)
• Xylene	1330-20-7	Priority Substance List 1 (substance not considered toxic)
• Benzene	71-43-2	Priority Substance List 1 (substance considered toxic)
• Butane	106-97-8	Not Listed
• Hexane	110-54-3	Not Listed
• 1,2,4-Trimethylbenzene	95-63-6	Not Listed
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed
• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

United States**Labor****U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals**

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	Not Listed
• Ethylbenzene	100-41-4	Not Listed
• Toluene	108-88-3	Not Listed
• Xylene	1330-20-7	Not Listed
• Benzene	71-43-2	Not Listed
• Butane	106-97-8	Not Listed
• Hexane	110-54-3	Not Listed
• 1,2,4-Trimethylbenzene	95-63-6	Not Listed
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed
• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

U.S. - OSHA - Specifically Regulated Chemicals

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	Not Listed
• Ethylbenzene	100-41-4	Not Listed
• Toluene	108-88-3	Not Listed
• Xylene	1330-20-7	Not Listed
• Benzene	71-43-2	5 ppm STEL (See 29 CFR 1910.1028, 15 min); 0.5 ppm Action Level; 1 ppm TWA
• Butane	106-97-8	Not Listed
• Hexane	110-54-3	Not Listed
• 1,2,4-Trimethylbenzene	95-63-6	Not Listed
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed
• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

Environment**U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants**

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	
• Ethylbenzene	100-41-4	(listed under Ethyl benzene)
• Toluene	108-88-3	
• Xylene	1330-20-7	(isomers and mixtures)
• Benzene	71-43-2	(including Benzene from gasoline)
• Butane	106-97-8	Not Listed
• Hexane	110-54-3	
• 1,2,4-Trimethylbenzene	95-63-6	Not Listed
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed
• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	100 lb final RQ; 45.4 kg final RQ
• Ethylbenzene	100-41-4	1000 lb final RQ; 454 kg final RQ
• Toluene	108-88-3	1000 lb final RQ; 454 kg final RQ
• Xylene	1330-20-7	100 lb final RQ; 45.4 kg final RQ
• Benzene	71-43-2	10 lb final RQ (received an adjusted RQ of 10 lbs based on potential carcinogenicity in an August 14, 1989 final rule); 4.54 kg final RQ (received an adjusted RQ of 10 lbs based on potential carcinogenicity in an August 14, 1989 final rule)
• Butane	106-97-8	Not Listed
• Hexane	110-54-3	5000 lb final RQ; 2270 kg final RQ
• 1,2,4-Trimethylbenzene	95-63-6	Not Listed
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed

• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	Not Listed
• Ethylbenzene	100-41-4	Not Listed
• Toluene	108-88-3	Not Listed
• Xylene	1330-20-7	Not Listed
• Benzene	71-43-2	Not Listed
• Butane	106-97-8	Not Listed
• Hexane	110-54-3	Not Listed
• 1,2,4-Trimethylbenzene	95-63-6	Not Listed
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed
• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	Not Listed
• Ethylbenzene	100-41-4	Not Listed
• Toluene	108-88-3	Not Listed
• Xylene	1330-20-7	Not Listed
• Benzene	71-43-2	Not Listed
• Butane	106-97-8	Not Listed
• Hexane	110-54-3	Not Listed
• 1,2,4-Trimethylbenzene	95-63-6	Not Listed
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed
• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	Not Listed
• Ethylbenzene	100-41-4	Not Listed
• Toluene	108-88-3	Not Listed
• Xylene	1330-20-7	Not Listed
• Benzene	71-43-2	Not Listed
• Butane	106-97-8	Not Listed
• Hexane	110-54-3	Not Listed
• 1,2,4-Trimethylbenzene	95-63-6	Not Listed
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed
• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	0.1 % de minimis concentration
• Ethylbenzene	100-41-4	0.1 % de minimis concentration
• Toluene	108-88-3	1.0 % de minimis concentration
• Xylene	1330-20-7	1.0 % de minimis concentration

• Benzene	71-43-2	0.1 % de minimis concentration
• Butane	106-97-8	Not Listed
• Hexane	110-54-3	1.0 % de minimis concentration
• 1,2,4-Trimethylbenzene	95-63-6	1.0 % de minimis concentration
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed
• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	Not Listed
• Ethylbenzene	100-41-4	Not Listed
• Toluene	108-88-3	Not Listed
• Xylene	1330-20-7	Not Listed
• Benzene	71-43-2	Not Listed
• Butane	106-97-8	Not Listed
• Hexane	110-54-3	Not Listed
• 1,2,4-Trimethylbenzene	95-63-6	Not Listed
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed
• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

United States - California**Environment****U.S. - California - Proposition 65 - Carcinogens List**

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	carcinogen, initial date 4/19/02
• Ethylbenzene	100-41-4	carcinogen, initial date 6/11/04
• Toluene	108-88-3	Not Listed
• Xylene	1330-20-7	Not Listed
• Benzene	71-43-2	carcinogen, initial date 2/27/87
• Butane	106-97-8	Not Listed
• Hexane	110-54-3	Not Listed
• 1,2,4-Trimethylbenzene	95-63-6	Not Listed
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed
• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

U.S. - California - Proposition 65 - Developmental Toxicity

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	Not Listed
• Ethylbenzene	100-41-4	Not Listed
• Toluene	108-88-3	developmental toxicity, initial date 1/1/91
• Xylene	1330-20-7	Not Listed
• Benzene	71-43-2	developmental toxicity, initial date 12/26/97
• Butane	106-97-8	Not Listed
• Hexane	110-54-3	Not Listed
• 1,2,4-Trimethylbenzene	95-63-6	Not Listed
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed

• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	Not Listed
• Ethylbenzene	100-41-4	Not Listed
• Toluene	108-88-3	7000 µg/day MADL (level represents absorbed dose)
• Xylene	1330-20-7	Not Listed
• Benzene	71-43-2	24 µg/day MADL (oral); 49 µg/day MADL (inhalation)
• Butane	106-97-8	Not Listed
• Hexane	110-54-3	Not Listed
• 1,2,4-Trimethylbenzene	95-63-6	Not Listed
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed
• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	5.8 µg/day NSRL
• Ethylbenzene	100-41-4	54 µg/day NSRL (inhalation); 41 µg/day NSRL (oral)
• Toluene	108-88-3	Not Listed
• Xylene	1330-20-7	Not Listed
• Benzene	71-43-2	6.4 µg/day NSRL (oral); 13 µg/day NSRL (inhalation)
• Butane	106-97-8	Not Listed
• Hexane	110-54-3	Not Listed
• 1,2,4-Trimethylbenzene	95-63-6	Not Listed
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed
• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	Not Listed
• Ethylbenzene	100-41-4	Not Listed
• Toluene	108-88-3	female reproductive toxicity, initial date 8/7/09
• Xylene	1330-20-7	Not Listed
• Benzene	71-43-2	Not Listed
• Butane	106-97-8	Not Listed
• Hexane	110-54-3	Not Listed
• 1,2,4-Trimethylbenzene	95-63-6	Not Listed
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed
• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

• Naphtha (petroleum), heavy catalytic reformed	64741-68-0	Not Listed
• Naphthalene	91-20-3	Not Listed
• Ethylbenzene	100-41-4	Not Listed

• Toluene	108-88-3	Not Listed
• Xylene	1330-20-7	Not Listed
• Benzene	71-43-2	male reproductive toxicity, initial date 12/26/97
• Butane	106-97-8	Not Listed
• Hexane	110-54-3	Not Listed
• 1,2,4-Trimethylbenzene	95-63-6	Not Listed
• Full-range alkylate (petroleum) naphtha	64741-64-6	Not Listed
• Naphtha (petroleum), isomerization	64741-70-4	Not Listed
• Hydrocarbons, C3-11, catalytic cracker distillates	68476-46-0	Not Listed

Other Information

- **WARNING:** This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

Section 16 - Other Information

Revision Date

- 27/August/2015

Preparation Date

- 27/August/2015

Disclaimer/Statement of Liability

- The information and recommendations contained herein are based upon tests believed to be reliable. However, Northern Tier Energy does not guarantee their accuracy or completeness nor shall any of this information constitute a warranty, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for a particular purpose. Adjustment to conform to actual conditions of usage maybe required. Northern Tier Energy assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.

Key to abbreviations

NDA = No data available